THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

PROF. SIR J. W. L. BEAMENT, SC.D., F.R.S., Department of Applied Biology, Cambridge

G. D. H. BELL, C.B.E., PH.D., SC.D.(*h.c.*), D.SC.(*h.c.*), F.R.S., 6 Worts Causeway, Cambridge

SIR K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S., Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., F.R.S., Agricultural Research Council, 160 Great Portland Street, London, W1N 6DT

J. A. CURRIE, PH.D., Rothamsted Experimental Station, Harpenden

S. K. ELTRINGHAM, PH.D., Department of Applied Biology, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., Emeritus Professor of Agriculture, Department of Applied Biology, Cambridge

D. B. LINDSAY, B.SC., M.A., D.PHIL., Agricultural Research Council, Institute of Animal Physiology, Babraham, Cambridge

PROF. J. B. OWEN, B.SC., PH.D., M.A., The Department of Agriculture, Bangor

W. J. RIDGMAN, M.A., Department of Applied Biology, Cambridge

H. H. ROGERS, B.SC., DIP.AG.SCI., F.I. BIOL., Plant Breeding Institute, Cambridge

L. E. A. ROWSON, O.B.E., M.R.C.V.S., F.R.S., Cambridge and District Cattle Breeders Limited, The Gravel Pits, Huntingdon Road, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science, University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME 94

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY
1980

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y.10022

© Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge

Contents

PART 1 (FEBRUARY 1980)

PAGE

BELL, G. D. H. The Journal of Agricultural Science 1905–1980: a historical record . . 1

WEATHERUP, S. T. C. Statistical procedures for distinctness, uniformity and stability variety trials 31

EGAN, A. R. and ULYATT, M. J. Quantitative digestion of fresh herbage by sheep. VI. Utilization of nitrogen in five herbages 47

RAO, M. K. and SUNDARESAN, D. Comparison of methods of extending part lactation records for sire evaluation 57

SINGH, M., MORE, T. and RAI, A. K. Heat tolerance of different genetic groups of sheep exposed to elevated temperature conditions 63

EVANS, G. and ROBINSON, T. J. The control of fertility in sheep: endocrine and ovarian responses to progestagen–PMSG treatment in the breeding season and in anoestrus . 69

KENNEDY, P. M., LINDSAY, J. R. and MILLIGAN, L. P. *In vivo* measurement of rumen microbial growth using ^{35}S 89

ROWLANDS, G. J. Concentrations of glucose, albumin, inorganic phosphate and sodium in the blood of beef calves at 2½ months of age and their relationships with subsequent weight gain 95

ZOMBADE, S. S., LODHI, G. N. and ICHHPONANI, J. S. Evaluation of protein quality of poultry feedingstuffs. 1. Comparison of chick bioassays 105

ZOMBADE, S. S., LODHI, G. N. and ICHHPONANI, J. S. Evaluation of protein quality of poultry feedingstuffs. 2. Fish meal 111

ZOMBADE, S. S., LODHI, G. N. and ICHHPONANI, J. S. Evaluation of protein quality of poultry feedingstuffs. 3. Expeller-processed oilseed cakes 117

DAVIES, I. Developmental characteristics of grass varieties in relation to their herbage production. 5. The effects of nitrogen treatment on the relative development of upper and lower internodes of mature reproductive tillers of *Dactylis glomerata* and *Lolium perenne* . 125

CHATURVEDI, G. S., AGGARWAL, P. K. and SINHA, S. K. Growth and yield of determinate and indeterminate cowpeas in dryland agriculture 137

RAGAB, S. M. Water uptake and trans-potential in sunflower roots as influenced by ammonium ions 145

FREE, J. B. and FERGUSON, A. W. Foraging of bees on oil-seed rape (*Brassica napus* L.) in relation to the stage of flowering of the crop and pest control 151

WIDDOWSON, F. V., JOHNSTON, A. E. and PENNY, A. Multifactorial experimentation on continuous winter wheat grown in sandy clay soil at Saxmundham, Suffolk . . . 155

KEATINGE, J. D. H., GARRETT, M. K. and STEWART, R. H. Response of perennial and Italian ryegrass cultivars to temperature and soil water potential 171

LUSH, W. M. and WIEN, H. C. The importance of seed size in early growth of wild and domesticated cowpeas 177

BHAT, K. K. S., FLOWERS, T. H. and O'CALLAGHAN, J. R. A model for the simulation of the fate of nitrogen in farm wastes on land application 183

BHAT, K. K. S. and O'CALLAGHAN, J. R. Behaviour in the soil of orthophosphate from pig slurry compared with that of KH_2PO_4 195

PAGE

WITTY, J. F., ROUGHLEY, R. J. and DAY, J. M. Effect of plant spacing and soil application of aldicarb on nitrogen fixation by spring-sown field beans (*Vicia faba* L.) . . . 203

WERNLI, C. G. and WILKINS, R. J. Nutritional studies with sheep fed conserved ryegrass. 1. Silage and dried grass offered *ad libitum* without supplements 209

WERNLI, C. G. and WILKINS, R. J. Nutritional studies with sheep fed conserved ryegrass. 2. Silage supplemented with dried grass or barley 219

NEVILL, D. J. and EVANS, ALICE M. The effect of host development on the field assessment of disease resistance to *Cercospora* leaf spots in groundnuts (*Arachis hypogaea* L.) . . 229

REID, I. M., ROBERTS, C. J. and BAIRD, G. D. The effects of underfeeding during pregnancy and lactation on structure and chemistry of bovine liver and muscle 239

SHORT NOTES

SINGH, B. R. and URIYO, A. P. The relationship between response to N and P fertilizers and soil N and P 247

HANNA, L. W. and SIAM, N. The estimation of moisture content in the top 10 cm of soil using a neutron probe 251

TULI, R. K. and SINGH, MEHAR. Lactic dehydrogenase activity in buffalo (*Bos-bubalis*) bull semen and seminal plasma in relation to various physical characteristics 255

PART 2 (APRIL 1980)

GAILI, E. S. E. and NOUR, A. F. Y. M. Development of body components in Kenana cattle. 1. Development of carcass and non-carcass components of the body 257

GAILI, E. S. E. and NOUR, A. F. Y. M. Development of body components in Kenana cattle. 2. Relative weight changes of major carcass tissues. 263

ØRSKOV, E. R., BARNES, B. J. and LUKINS, B. A. A note on the effect of different amounts of NaOH application on digestibility by cattle of barley, oats, wheat and maize . . 271

POPPI, D. P., NORTON, B. W., MINSON, D. J. and HENDRICKSEN, R. E. The validity of the critical size theory for particles leaving the rumen 275

KARAMI, E. and WEAVER, J. B., Jr. Dry-matter production, yield, photosynthesis, chlorophyll content and specific leaf weight of cotton in relation to leaf shape and colour . 281

MORGAN, C. A., EDWARDS, R. A. and MCDONALD, P. Intake and metabolism studies with fresh and wilted silages 287

BROMFIELD, A. R., DEBENHAM, D. F. and HANCOCK, I. R. The deposition of sulphur in rainwater in central Kenya 299

BROWN, S. J. The relationship between disease symptoms and parasite growth in bacterial blight of cotton 305

FAICHNEY, G. J. The use of markers to measure digesta flow from the stomach of sheep fed once daily 313

AMABLE, R. A. An assessment of the performance of sunflowers (*Helianthus annuus* L.) as an oil-seed crop in Ghana 319

GILLIGAN, C. A. Colonization of lateral, seminal and adventitious roots of wheat by the take-all fungus, *Gaeumannomyces graminis* var. *tritici*. 325

ROBINSON, J. J., MCDONALD, I., FRASER, C. and GORDON, J. G. Studies on reproduction in prolific ewes. 6. The efficiency of energy utilization for conceptus growth . . . 331

PAGE

ADENEYE, J. A. and BAMIDURO, T. A. Some factors influencing intercalving periods of imported and home-reared Holstein cattle in western Nigeria 339

CANNELL, R. Q., ELLIS, F. B., CHRISTIAN, D. G., GRAHAM, J. P. and DOUGLAS, J. T. The growth and yield of winter cereals after direct drilling, shallow cultivation and ploughing on non-calcareous clay soils, 1974–8 345

BACON, J. S. D. and GORDON, A. H. The effects of various deacetylation procedures on the nylon bag digestibility of barley straw and of grass cell walls recovered from sheep faeces 361

WIENER, G., RUSSELL, W. S. and FIELD, A. C. Factors influencing the concentration of minerals and metabolites in the plasma of cattle 369

GREGORY, R. S. Hybrid necrosis as a problem in handling hexaploid × tetraploid wheat crosses 377

SWATLAND, H. J. A histological basis for differences in breast meat yield between two strains of white turkeys 383

BAINBRIDGE, A., FINNEY, M. E. and JENKYN, J. F. The influence of cultural factors and mildew on yield of winter barley 389

LIVINGSTONE, R. M., BAIRD, BARBARA A., ATKINSON, T. and CROFTS, R. M. J. Circadian variation in the apparent digestibility of diets measured at the terminal ileum in pigs . 399

COLLIER, G. F., WURR, D. C. E. and HUNTINGTON, VALERIE C. The susceptibility of potato varieties to internal rust spot 407

DREW, M. C. and SAKER, L. R. Direct drilling and ploughing: their effects on the distribution of extractable phosphorus and potassium, and of roots, in the upper horizons of two clay soils under winter wheat and spring barley 411

WILMAN, D. Early spring and late autumn response to applied nitrogen in four grasses. 1. Yield, number of tillers and chemical composition 425

WILMAN, D. and MOHAMED, A. A. Early spring and late autumn response to applied nitrogen in four grasses. 2. Leaf development 443

MØLGAARD, P. and HARDMAN, R. Boron requirement and deficiency symptoms of fenugreek (*Trigonella foenum-graecum*) as shown in a water culture experiment with inoculation of *Rhizobium* 455

ELLIOT, JENNIFER E. M. and WHITTINGTON, W. J. The control of chocolate spot (*Botrytis fabae*) infection of field beans (*Vicia faba* L.) by the fungicides Benlate, Bavistin, Cercobin and BAS325F 461

SALTER, P. J., CURRAH, I. E. and FELLOWS, JANE R. Further studies on the effects of plant density, spatial arrangement and time of harvest on yield and root size in carrots . 465

RAGAB, S. M. Effect of ammonium on anion uptake and trans-root potential in sunflower roots 479

SHORT NOTES

REES, M. C. and LITTLE, D. A. Differences between sheep and cattle in digestibility, voluntary intake and retention time in the rumen of three tropical grasses 483

RAIZADA, SANTOSH, SINGH, MEHAR and CHAUDHARY, K. C. Hyaluronidase activity in Murrah (*Bos bubalis*) and HRS (*Bos indicus*) bulls in relation to fertility and seasons 487

DHILLON, G. S., KLER, D. S. and RAJ, DES. Effect of cycocel on the growth, abscission and yield of cotton (*Gossypium hirsutum* L.) 489

GILLIGAN, C. A. Size and shape of sampling units for estimating incidence of stem canker on oil-seed rape stubble in field plots after swathing 493

PART 3 (JUNE 1980)

PAGE

DOTO, SEVERA A. and WHITTINGTON, W. J. Chemical control of chocolate spot disease of field beans 497

STORRY, J. E., BRUMBY, P. E., TUCKLEY, B., WELCH, V. A., STEAD, D. and FULFORD, ROSEMARY J. Effect of feeding protected lipid to dairy cows in early lactation on the composition of blood lipoproteins and secretion of fatty acids in milk 503

ROWLANDS, G. J., MANSTON, R., STARK, A. J., RUSSELL, A. M., COLLIS, K. A. and COLLIS, S. C. Changes in albumin, globulin, glucose and cholesterol concentrations in the blood of dairy cows in late pregnancy and early lactation and relationships with subsequent fertility 517

PRASAD, R. and SHARMA, S. N. Systematic mixed stands of spring wheat cultivars . . 529

SHARMA, R. C., GREWAL, J. S. and SINGH, M. Effects of annual and biennal applications of phosphorus and potassium fertilizer and farmyard manure on yields of potato tubers, on nutrient uptake and on soil properties 533

DHILLON, S. S. and SINGH, T. H. Genetic control of some quantitative characters in upland cotton (*Gossypium hirsutum* L.) 539

AULAKH, M. S., PASRICHA, N. S. and SAHOTA, N. S. Yield, nutrient concentration and quality of mustard crops as influenced by nitrogen and sulphur fertilizers 545

ORPHANOS, P. I. and KRENTOS, V. D. Concentration of N, P and K in leaves, straw and grain of wheat and barley as influenced by N and P fertilizers under semi-arid conditions . 551

BANSAL, O. P. and BANSAL, VIJAY. Influence of time, pH, temperature, organic matter and exchangeable cations on the adsorption of oxamyl on illites and kaolinites 557

HENNING, PENELOPE A., VAN DER LINDEN, YVONNE, MATTHEYSE, MARY E., NAUHAUS, WILFRIED K. and SCHWARTZ, HELEN M. Factors affecting the intake and digestion of roughage by sheep fed maize straw supplemented with maize grain 565

SINHA, A. K. and SAHA, S. Growth and nutrition of *Hibiscus cannabinus* L. 575

ALLEN, E. J. and SCOTT, R. K. An analysis of growth of the potato crop 583

GUIRGIS, R. A., KASSEM, M. M., KAZZAL, N. T. and ABDALLAH, R. K. Lactation performance of ewes and the growth of lambs, in Awassi sheep, under two different suckling regimes 607

REMISON, S. U. Interaction between maize and cowpea at various frequencies 617

LEACH, J. E. Photosynthesis and growth of spring barley: some effects of drought . . 623

OWEN, J. B., LEE, R. F., LERMAN, P. M. and MILLER, E. L. The effect of the reproductive state of ewes on their voluntary intake of diets varying in straw content 637

MURTAGH, G. J., KAISER, A. G., HUETT, D. O. and HUGHES, R. M. Summer-growing components of a pasture system in a subtropical environment. 1. Pasture growth, carrying capacity and milk production 645

MURTAGH, G. J., KAISER, A. G. and HUETT, D. O. Summer-growing components of a pasture system in a subtropical environment. 2. Relations between pasture and animal production 665

AUSTIN, R. B., BINGHAM, J., BLACKWELL, R. D., EVANS, L. T., FORD, M. A., MORGAN, C. L. and TAYLOR, M. Genetic improvements in winter wheat yields since 1900 and associated physiological changes 675

PASRICHA, N. S., AULAKH, M. S., SAHOTA, N. S., and BADDESHA, H. S. Comparative response of groundnut and wheat to phosphorus in a groundnut–wheat rotation 691

PAGE

COLOMER-ROCHER, F., BASS, J. J. and JOHNSON, D. L. Beef carcass conformation and some relationships with carcass composition and muscle dimensions 697

DAHIYA, I. S., ABROL, I. P. and HAJRASULIHA, S. Miscible displacement of reactive solutes in saline–sodic soils under varying flow conditions 709

GREENHALGH, J. F. D. and REID, G. W. Complete diets for dairy cows: comparisons of feeding to appetite with rationing according to milk yield 715

SHORT NOTES

PUNJ, M. L., KAKKAR, V. K. and SAINI, K. S. Studies on the preparation and *in vitro* breakdown of urea–hemicellulose complex 727

AUSTIN, R. B. and BLACKWELL, R. D. Edge and neighbour effects in cereal yield trials . 731

CLEMENS, E. T. and STEVENS, C. E. A comparison of gastrointestinal transit time in ten species of mammal 735

HEGAZI, E. M., KOLAIB, M. O. and ADB-EL FATTAH, M. I. Development of *Microplitis rufiventris* Kok at different temperatures 739

WITTY, J. F., ROUGHLEY, R. J. and DAY, J. M. Reduction of yield of *Vicia faba* by foliar fertilization during the seed-filling period 741

BAKER, A. S., BEN YEHUDA, R. and KAFKAFI, U. Effects of rate, source, and distribution method of nitrogen fertilizer on seed potato production 745

BALASUBRAHMANYAM, N. and KOLTE, S. J. Effect of different intensities of *Alternaria* blight yield and oil content of sunflower 749

Index of Authors

ABDALLAH, M. D., *see* MOUSTAFA, O. K.

ABOUL-NAGA, A. M. and AFIFI, E. A. Crossing subtropical Egyptian sheep with Hampshire to improve their lamb production, 365

ABOUL-NAGA, A. M., EL-SHOBOKSHY, A. S. and GABR, M. G. Using Suffolk sheep for improving lamb production from subtropical Egyptian sheep. 3. Ewe lamb performance, 333

ABUBAKAR, B. Y., *see* BUVANENDRAN, V.

AFIFI, E. A., *see* ABOUL-NAGA, A. M.

AGBEDE, O. O., *see* OJENIYI, S. O.

AMIR, D., GENIZI, A. and SCHINDLER, H. Seasonal and other changes in the gestation duration of sheep, 47

ANGUS, W. J. and SAGE, G. C. M. Patterns of yield production in two semi-dwarf and two conventional height European spring wheats, 387

ANTONIEWICZ, A. M., HEINEMANN, W. W. and HANKS, E. M. Effect of changes in the intestinal flow of nucleic acids on allantoin excretion in the urine of sheep, 395

ARMSTRONG, A. C. Interaction of drainage and the response of winter wheat to nitrogen fertilizers: some preliminary results, 229

ASHWOOD, A., *see* SRISKANDARAJAH, N.

BASHFORD, J. A., *see* PECHAN, P. M.

BHARGAVA, S. C., *see* SAHA, S. N.

BLACK, J. L., *see* COLEBROOK, W. F.

BLACKMAN, J. A. and GILL, A. A. A comparison of some small-scale tests for bread-making quality used in wheat breeding, 29

BLAXTER, K. L. and HAMILTON, W. J. Reproduction in farmed red deer. 2. Calf growth and mortality, 275

BLAXTER, K. L., *see also* HAMILTON, W. J.

BROAD, T. E., DAVIES, A. S. and LIGGINS, G. C. Carcass composition of foetal lambs: effects of hypophysectomy and pituitary stalk-section, 225

BROSTER, V. J., *see* SMITH, T.

BROSTER, W. H., *see* SMITH, T.

BRUCKENTAL, I., *see* OLDHAM, J. D.

BUTTERY, P. J., *see* COWARD, B. J.

BUVANENDRAN, V., UMOH, J. E. and ABUBAKAR, B. Y. An evaluation of body size as related to weight of three West African breeds of cattle in Nigeria, 219

CAMPBELL, L. D., *see* OLABORO, G.

CARR, J. R., *see* DAVIES, A. S.

CLARK, J. A., *see* MACLEOD, G. D.

CLEAVER, T. J., *see* GREENWOOD, D. J.

COLEBROOK, W. F., and BLACK, J. L. A note on a urine collection system for male pigs, 17

COOK, G. L., *see* KEMPSTER, A. J.

CORBET, S. A. and WILLMER, P. G. Pollination of the yellow passion fruit: nectar, pollen and carpenter bees, 655

COWAN, R. T., ROBINSON, J. J., MCDONALD, I. and SMART, R. Effects of body fatness at lambing and diet in lactation on body tissue loss, feed intake and milk yield of ewes in early lactation, 497

COWAN, R. T., ROBINSON, J. J., MCHATTIE, I. and FRASER, C. Prediction of body composition in live ewes in early lactation from live weight and estimates of gut contents and total body water, 515

COWARD, B. J., and BUTTERY, P. J. A perfused ruminant muscle preparation, 7

DAVIES, A. S., PEARSON, G. and CARR, J. R. Carcass composition of male, castrated male and female pigs resulting from two levels of feeding, 251

DAVIES, A. S., *see also* BROAD, T. E.

DE, R., *see* MOHTA, N. K.

DEGEN, A. A. and YOUNG, B. A. Live-weight, total body-water and maternal body-solid changes in pregnant and lactating beef cows, 1

EAGLES, C. F., *see* FULLER, M. P.

ECONOMIDES, S. Factors affecting the performance of ewes fed *ad libitum* until weaning and the performance of their lambs, 493

EL ATTAL, Z. M., *see* MOUSTAFA, O. K.

ELLIS, R. P. and KIRBY, E. J. M. A comparison of spring barley grown in England and Scotland. 2. Yield and its components, 111

ELLIS, R. P., *see also* KIRBY, E. J. M.

EL-SHOBOKSHY, A. S., *see* ABOUL-NAGA, A. M.

FADAYOMI, O., *see* ONWUEME, I. C.

FARAH, S. M. Effects of some cultural practices on yield and quality of flue-cured tobacco at Kenana Research Station, 423

FARMER, L. J., MACKIE, W. S. and RITCHIE, P. J. Developmental changes in the biochemical composition of foetal and neonatal pig muscle with special reference to DNA synthesis, 563

FINNEY, D. J. Estimation of parameters by least squares from unbalanced experiments, 181

FISHER, N. M. Effect of time of planting on four bean (*Phaseolus vulgaris*) genotypes in Kenya, 401

FRASER, C., *see* COWAN, R. T.

FRASER, J. E., *see* WHITEHEAD, A. G.

FRENCH, E. M., *see* WHITEHEAD, A. G.

FUJIHARA, T. Eating and rumination behaviour in sheep fed only grass diets in either the fresh or dried form, 729

FULLER, M. P. and EAGLES, C. F. Effect of temperature on cold hardening of *Lolium perenne* seedlings, 77

GAABOUB, I. A., *see* KELADA, N. L.

GABR, M. G., *see* ABOUL-NAGA, A. M.

GENIZI, A., *see* AMIR, D.

GIBB, M. J. and TREACHER, T. T. Effect of ewe body condition at lambing on the performance of ewes and their lambs at pasture, 631

GILL, A. A., *see* BLACKMAN, J. A.

GLEESON, A. C. and MCGILCHRIST, C. A. Mixture diallel experiments with unequal proportions of genotypes, 525
GRAY, D., WARD, J. A. and STECKEL, J. R. A. Growth and development of bush tomatoes in relation to temperature, 285
GRAY, R. and MCCRACKEN, K. J. Effect of confinement in a respiration chamber and changes in temperature and plane of nutrition on heat production of 25 kg pigs, 123
GREENWOOD, D. J., CLEAVER, T. J., TURNER, M. K., HUNT, J., NIENDORF, K. B. and LOQUENS, S. M. H. Comparison of the effects of nitrogen fertilizer on the yield, nitrogen content and quality of 21 different vegetable and agricultural crops, 471
GREENWOOD, D. J., CLEAVER, T. J., TURNER, M. K., HUNT, J., NIENDORF, K. B. and LOQUENS, S. M. H. Comparison of the effects of phosphate fertilizer on the yield, phosphate content and quality of 22 different vegetable and agricultural crops, 457
GREENWOOD, D. J., CLEAVER, T. J., TURNER, M. K., HUNT, J., NIENDORF, K. B. and LOQUENS, S. M. H. Comparison of the effects of potassium fertilizer on the yield, potassium content and quality of 22 different vegetable and agricultural crops, 441
GUIRGIS, R. A. Response to the use of Merino in improvement of coarse-wool Barki sheep: an analysis of some cross-bred wool traits, 339
GURR, M. I., *see* KIRTLAND, J.

HAMILTON, W. J. and BLAXTER, K. L. Reproduction in farmed red deer. 1. Hind and stag fertility, 261
HAMILTON, W. J., *see also* BLAXTER, K. L.
HANCOCK, J., *see* MAVROGENIS, A. P.
HANKS, E. M., *see* ANTONIEWICZ, A. M.
HANRAHAN, J. P., *see* L'ESTRANGE, J. L.
HEINEMANN, W. W., *see* ANTONIEWICZ, A. M.
HENDRICKSEN, R. and MINSON, D. J. Feed intake and grazing behaviour of cattle grazing a crop of *Lablab purpureus* cv. Rongai, 547
HILL, R. E., *see* SMITH, T.
HUMPHRIES, W. R., *see* PRICE, J.
HUNT, J., *see* GREENWOOD, D. J.

INGRAM, D. L., WALTERS, D. E. and LEGGE, K. F. Variations in motor activity and in food and water intake over 24 h periods in pigs, 371
INNES, N. L. and WALKEY, D. G. A. Genetics of resistance to two strains of bean common mosaic virus in three cultivars of *Phaseolus vulgaris* L., 619

JORDAN, D. J., *see* MANGAN, J. L.

KELADA, N. L., GAABOUB, I. A. and RAWASH, I. A. Comparison of the juvenilizing effect of six juvenile hormone-like activity compounds on Egyptian *Culex pipiens* L., 203
KELLAWAY, R. C., *see* SRISKANDARAJAH, N.
KEMPSTER, A. J., COOK, G. L. and SMITH, R. J. Evaluation of a standardized commercial cutting technique for determining breed differences in carcass composition, 431
KIRBY, E. J. M. and ELLIS, R. P. A comparison of spring barley grown in England and in Scotland. 1. Shoot apex development, 101
KIRTLAND, J. and GURR, M. I. Fat cell synthesis in pigs assessed after administration of tritiated thymidine *in vivo*, 325

LAUGHLIN, J. C. Effect of time of harvest on the yield components of poppies (*Papaver somniferum* L.), 667
LEGGE, K. F., *see* INGRAM, D. L.
L'ESTRANGE, J. L. and HANRAHAN, J. P. Some breed effects on the melting point and fatty acid composition of carcass fat in lambs, 73
LIGGINS, G. C., *see* BROAD, T. E.
LOQUENS, S. M. H., *see* GREENWOOD, D. J.
LOUCA, A., *see* MAVROGENIS, A. P.
LYNCH, K. W., *see* STEWART, R. H.

MCARTHUR, I. D. Pre-lambing supplementation of gadic ewes in western Afghanistan, 39
MCCRACKEN, K. J., *see* GRAY, R.
MCDONALD, I., *see* COWAN, R. T.
MCGIBBON, R., *see* WILLIAMS, W.
MCGILCHRIST, C. A., *see* GLEESON, A. C.
MCHATTIE, I., *see* COWAN, R. T.
MACKIE, W. S., *see* FARMER, L. J.
MACLEOD, G. D. and CLARK, J. A. An index of feather cover, 21
MANGAN, J. L., JORDAN, D. J., WEST, J. and WEBB, P. J. Protection of leaf protein of lucerne (*Medicago sativa* L.) against degradation in the rumen by treatment with formaldehyde and glutaraldehyde, 603
MATTHEWS, S., *see* POWELL, A. A.
MAVROGENIS, A. P., HANCOCK, J. and LOUCA, A. Effect of body-weight changes during pregnancy and lactation on the performance of three breeds of sheep, 357
MINSON, D. J., *see* HENDRICKSEN, R.
MITTAL, J. P. Seasonal changes in semen characteristics of Marwari and Magra sheep of the Indian desert, 721
MOHTA, N. K. and DE, R. Intercropping maize and sorghum with soya beans, 117
MORGAN, D. G., *see* PECHAN, P. M.
MORRIS, E. J. Cell walls of *Eragrostis tef*: variations in chemical composition and digestibility, 305
MORRIS, E. J. and VAN GYLSWYK, N. O. Comparison of the action of rumen bacteria on cell walls from *Eragrostis tef*, 313
MOUSTAFA, O. K., EL ATTAL, Z. M. and ABDALLAH, M. D. Du-ter as a synergist for insecticide formulations against cotton leafworm, 523
MURRAY, D. M. and SLEZACEK, O. Growth pattern and its effect on feed utilization of sheep, 349
MURRAY, D. M. and SLEZACEK, O. Growth rate effects on some offal components of sheep, 241
MUTSAERS, H. J. W. Effect of row orientation, date and latitude on light absorption by row crops, 381

NATARAJAN, M. and WILLEY, R. W. Sorghum–pigeonpea intercropping of plant population density. 1. Growth and yield, 51

NATARAJAN, M. and WILLEY, R. W. Sorghum–pigeonpea intercropping and the effects of plant population density. 2. Resource use, 59
NEELY, H. A., *see* WALKEY, D. G. A.
NIENDORF, K. B., *see* GREENWOOD, D. J.
NISSENBAUM, A., *see* OLDHAM, J. D.

OJENIYI, S. O. and AGBEDE, O. O. Agri-silviculture in Nigeria: food crops and soil fertility, 725
OLABORO, G., CAMPBELL, L. D. and MARQUARDT, R. R. Performance of laying hens fed on diets containing heat-treated beans (*Vicia faba* L. var. minor), cotyledons and hulls, 697
OLDHAM, J. D., BRUCKENTAL, I. and NISSENBAUM, A. Observations on rumen ammonia metabolism in lactating dairy cows, 235
ONWUEME, I. C. and FADAYOMI, O. A labour-saving system of yam (*Dioscorea* spp.) production through weed control with herbicides, the elimination of staking, and cropping at high density, 641
OSBORNE, B. G. and WATSON, R. D. Analysis of ergots from winter wheat in northern Scotland, 239

PEARSON, G., *see* DAVIES, A. S.
PECHAN, P. M., BASHFORD, J. A. and MORGAN, D. G. Use of radiography in studies of pool growth in oil-seed rape (*Brassica napus* L.), 25
PENNY, A. and WIDDOWSON, F. V. An experiment begun in 1958 measuring effects of N, P and K fertilizers on yield and N, P and K contents of grass. 2. Residual effects on arable crops, 1968–76, 583
PENNY, A., WIDDOWSON, F. V. and WILLIAMS, R. J. B. An experiment begun in 1958 measuring effects of N, P and K fertilizers on yield and N, P and K contents of grass. 1. Effects during 1964–7, 575
POWELL, A. A. and MATTHEWS, S. Significance of damage during imbibition to the field emergence of pea (*Pisum sativum* L.) seeds, 35
PRASAD, R. and SINGH, A. Relative efficiency of rock phosphate and superphosphate for forage legumes and residual effects on succeeding wheat, 199
PRICE, J. and HUMPHRIES, W. R. Investigation of the effect of supplementary zinc on growth rate of beef cattle on farms in N. Scotland, 135

RAWASH, I. A., *see* KELADA, N. L.
REID, D. Effects of rates of potassium application on the production and quality of herbage from a perennial ryegrass sward receiving a wide range of nitrogen rates, 83
RITCHIE, P. J., *see* FARMER, L. J.
ROBERTS, E. A. Periodic regression in long-term agricultural experiments, 233
ROBERTS, E. A. Stratification, covariance and weight gain in experiments with repeated observations, 141
ROBINSON, J. J., *see* COWAN, R. T.

SAGE, G. C. M., *see* ANGUS, W. J.
SAHA, S. N. and BHARGAVA, S. C. Physiological analysis of the growth, development and yield of oil-seed sesame, 733
SAKAL, R., *see* SINGH, A. P.
SCHINDLER, H., *see* AMIR, D.
SHARMA, V. V., *see* TAPARIA, A. L.
SINGH, A., *see* PRASAD, R.
SINGH, A. P., SAKAL, R., THAKUR, K. N. and SINHA, H. Response of wheat to zinc and its critical level in Old Alluvium soils, 175
SINGH, S. Detection of components of genetic variation and genotype × environment interaction in spring wheat, 67
SINHA, H., *see* SINGH, A. P.
SIVITER, J. W., *see* SMITH, T.
SLEZACEK, O., *see* MURRAY, D. M.
SMART, R., *see* COWAN, R. T.
SMITH, R. J., *see* KEMPSTER, A. J.
SMITH, T., BROSTER, V. J. and HILL, R. E. A comparison of sources of supplementary nitrogen for young cattle receiving fibre-rich diets, 687
SMITH, T., BROSTER, W. H. and SIVITER, J. W. An assessment of barley straw and oat hulls as energy sources for yearling cattle, 677
SRIKANDARAJAH, N., ASHWOOD, A and KELLAWAY, R. C. Effects of rolling and alkali treatment of barley grain supplements on forage intake and utilization by steers and lactating cows, 555
STECKEL, J. R. A., *see* GRAY, D.
STEWART, R. H., LYNCH, K. W. and WHITE, E. M. Effect of growing clover cultivars in association with barley cultivars upon grain yield of the barley crop in the year of sowing and the subsequent year, 715

TAPARIA, A. L. and SHARMA, V. V. Some factors affecting voluntary food intake in buffaloes. 1. Effect of feeding long-chopped and ground roughages, 147
TAPARIA, A. L. and SHARMA, V. V. Some factors affecting voluntary food intake in buffaloes. 2. Effects of feeding mixed diets, 159
TAPARIA, A. L. and SHARMA, V. V. Some factors affecting voluntary food intake in buffaloes. 3. Effect of concentrate feeding on intake of roughages fed to lactating buffaloes, 165
TAYO, T. O. Compensatory growth and yield of pigeon pea (*Cajanus cajan*) following pod removal at different stages of reproductive growth, 487
TAYO, T. O. Responses of two soya-bean varieties to the loss of apical dominance at the vegetative stage of growth, 409
THAKUR, K. N., *see* SINGH, A. P.
TITE, D. J., *see* WHITEHEAD, A. G.
TOWNER, G. D. Towards more efficient soil-water modelling: moisture profiles with constant surface water content, 417
TREACHER, T. T., *see* GIBB, M. J.
TROUGHTON, A. Production of root axes and leaf elongation in perennial ryegrass in relation to dryness of the upper soil layer, 533
TURNER, M. K., *see* GREENWOOD, D. J.

UDO, E. J. Profile distribution of iron sesquioxide contents in selected Nigerian soils, 191
UMOH, J. E., *see* BUVANENDRAN, V.

VAN GYLSWYK, N. O., *see* MORRIS, E. J.

WALKEY, D. G. A. and NEELY, H. A. Resistance in white cabbage to necrosis caused by turnip and cauliflower mosaic viruses and pepper-spot, 703
WALKEY, D. G. A., *see also* INNES, N. L.
WALTERS, D. E., *see* INGRAM, D. L.
WARD, J. A., *see* GRAY, D.
WEBB, P. J., *see* MANGAN, J. L.
WENHAM, G. and WYBURN, R. S. A radiological investigation of the effects of cannulation on intestinal motility and digesta flow in sheep, 539
WEST, J., *see* MANGAN, J. L.
WHITE, E. M., *see* STEWART, R. H.
WHITEHEAD, A. G., TITE, D. J., FRASER, J. E. and FRENCH, E. M. Control of potato cyst-nematode, *Globodera rostochiensis*, in a three-course rotation, 293
WHITEHEAD, A. G., TITE, D. J., FRASER, J. E. and FRENCH, E. M. Effects of aldicarb and oxamyl in peaty loam soil on potato cyst-nematode, *Globodera rostochiensis*, and on resistant and susceptible potatoes, 213
WIDDOWSON, F. V., *see* PENNY, A.
WILLEY, R. W., *see* NATARAJAN, M.
WILLIAMS, R. J. B., *see* PENNY, A.
WILLIAMS, W. and MCGIBBON, R. Environmental effects on seed oil percentage and fatty acid composition in white lupin (*Lupinus albus*), 597
WILLMER, P. G., *see* CORBET, S. A.
WYBURN, R. S., *see* WENHAM, G.

YOUNG, B. A., *see* DEGEN, A. A.

Index of Subjects

Acid(s), fatty, *see* Fatty acid
nucleic, *see* Nucleic acids
Agri-silviculture in Nigeria: food crops and soil fertility (Ojeniyi and Agbede), 725
Aldicarb, effects of, and oxamyl in peaty loam soil on potato cyst-nematode and on resistant and susceptible potatoes (Whitehead *et al.*), 213
Allantoin excretion in the urine of sheep, effect of changes in the intestinal flow of nucleic acids on (Antoniewicz *et al.*), 395
Ammonia metabolism, rumen, in lactating dairy cows (Oldham *et al.*), 235

Bacteria, rumen, comparison of the action of, on cell walls from *Eragrostis tef* (Morris and van Gylswyk), 313
Barley cultivars, effect of growing clover cultivars in association with, upon grain yield of the barley crop (Stewart *et al.*), 715
grain supplements, effects of rolling and alkali treatment of, on forage intake and utilization by steers and lactating cows (Sriskandarajah *et al.*), 555
spring, grown in England and Scotland, comparison of (Kirby and Ellis), 101; (Ellis and Kirby), 111
straw as energy source for yearling cattle, an assessment of (Smith *et al.*), 677
Bean(s), effects of time of planting on four (*Phaseolus vulgaris*) genotypes in Kenya (Fisher), 401
genetics of resistance to two strains of bean common mosaic virus in three cultivars of (Innes and Walkey), 619
performance of laying hens on diets containing heat-treated, cotyledons and hulls (Olaboro *et al.*), 697
Birds, an index of feather cover (Macleod and Clark), 21
***Brassica napus* L.**, *see* Rape
Bread making quality used in wheat breeding, comparison of some small-scale tests for (Blackman and Gill), 29
Buffalo, voluntary food intake in, some factors affecting (Taparia and Sharma), 147, 159, 165

Cabbage, white, resistance in, to necrosis caused by turnip and cauliflower mosaic viruses and pepper-spot (Walkey and Neely), 703
Cajanus cajan, *see* Pea, pigeon
Cannulation, a radiological investigation of the effects of, on intestinal motility and digesta flow in sheep (Wenham and Wyburn), 539
Carcass composition, evaluation of a standardized commercial cutting technique for determining breed differences in (Kempster *et al.*), 431
composition of foetal lambs: effects of hypophysectomy and pituitary stalk-section (Broad *et al.*), 225
composition of male, castrated male and female pigs resulting from two levels of feeding (Davies *et al.*), 251
Cattle, beef, effect of supplementary zinc on growth rate of (Price and Humphries), 135
body size as related to weight of three West African breeds of, an evaluation of (Buvanendran *et al.*), 219
effects of rolling and alkali treatment of barley grain supplements on forage intake and utilization by steers (Sriskandarajah *et al.*), 555
feed intake and grazing behaviour of cattle grazing a crop of *Lablab purpureus* cv. Rongai (Hendricksen and Minson), 547
yearling, an assessment of barley straw and oat hulls as energy sources for (Smith *et al.*), 677
young, receiving fibre-rich diets, comparison of sources of supplementary nitrogen for (Smith *et al.*), 687
see also Cows
Cell, fat, synthesis in pigs assessed after administration of tritiated thymidine *in vivo* (Kirtland and Gurr), 325
walls from *Eragrostis tef*, comparison of the action of rumen bacteria (Morris and van Gylswyk), 313
walls of *Eragrostis tef*, variations in chemical composition and digestibility (Morris), 305
Clover cultivars, effect of growing, in association with barley cultivars upon grain yield of the barley crop (Stewart *et al.*), 715
Cotton leafworm, Du-ter as a synergist for insecticide formulations against (Moustafa *et al.*), 523
Cow(s), beef, live-weight, total body-water and maternal body-solid changes in pregnant and lactating (Degen and Young), 1
lactating dairy, rumen ammonium metabolism in (Oldham *et al.*), 235
lactating, effects of rolling and alkali treatment of barley grain supplements on forage intake and utilization by (Sriskandarajah *et al.*), 555
Crops, row, effect of row orientation, date and latitude on light absorption by (Mutsaers), 381
***Culex pipiens* L.**, *see* Mosquito
Cutting technique, evaluation of a standardized commercial for determining bread differences in carcass composition (Kempster *et al.*), 431

Deer, red, reproduction in farmed (Hamilton and Blaxter), 261; (Blaxter and Hamilton), 275
Digesta flow, in sheep, a radiological investigation of the effects of cannulation on intestinal motility and (Wenham and Wyburn), 539
***Dioscorea* spp.**, *see* Yam
DNA synthesis, developmental changes in the biochemical composition of foetal and neonatal pig muscle with special reference to (Farmer *et al.*), 563
Drainage, interaction of, and the response of winter wheat to nitrogen fertilizers (Armstrong), 229
Du-ter as a synergist for insecticide formulations against cotton leaf worm (Moustafa *et al.*), 523

Eragrostis tef, cell walls of, variations in chemical composition and digestibility (Morris), 305
comparison of the action of rumen bacteria on cell wall from (Morris and van Gylswyk), 313
Ergots from winter wheat in northern Scotland, analysis of (Osborne and Watson), 239
Ewes, *see* Sheep

Fat cell synthesis in pigs assessed after administration of tritiated thymidine *in vivo* (Kirtland and Gurr), 325
Fatty acid composition of carcass fat in lambs, some breed effects on the melting point and (L'Estrange and Hanrahan), 73
composition in white lupin, environmental effects on seed oil percentage and (Williams and McGibbon), 597
Feather cover, an index of (Macleod and Clark), 21
Fertilizer(s), effects of rates of potassium application and quality of herbage from a perennial ryegrass sward receiving a wide range of nitrogen rates (Reid), 83
measuring effects of N, P and K on yield and N, P and K contents of grass (Penny *et al.*), 575; (Penny and Widdowson), 583
nitrogen, *see* Nitrogen
phosphate, comparison of the effects of, on the yield, phosphate content and quality of 22 different vegetable and agricultural crops (Greenwood *et al.*), 457
potassium, comparison of the effects of, on the yield, potassium content and quality of 22 different vegetable and agricultural crops (Greenwood *et al.*), 441
relative efficiency of rock phosphate and superphosphate for forage legumes and residual effects on succeeding wheat (Prasad and Singh), 199
Forage intake and utilization by steers and lactating cows, effects of rolling and alkali treatment of barley grain supplements on (Sriskandarajah *et al.*), 555
legumes, relative efficiency of rock phosphate and superphosphate for, and residual effects on succeeding wheat (Prasad and Singh), 199
Formaldehyde, protection of leaf protein of lucerne against degradation in the rumen by treatment with (Mangan *et al.*), 603

Genotypes, mixture diallel experiments with unequal proportions of (Gleeson and McGilchrist), 525
Gestation duration of sheep, seasonal and other changes in (Amir *et al.*), 47
Globodera rostochiensis, *see* Potato cyst-nematode
Glutaraldehyde, protection of leaf protein of lucerne against degradation in the rumen by treatment with (Mangan *et al.*), 603
Grass diets, eating and rumination behaviour in sheep fed only, in either the fresh or dried form (Fujihara), 729
measuring effects of N, P and K fertilizers on yield and N, P and K contents of (Penny *et al.*), 575; (Penny and Widdowson), 583
ryegrass, *see* Ryegrass
Grazing behaviour of cattle grazing a crop of *Lablab purpureus* cv. Rongai (Hendricksen and Minson), 547

Harvest, time of, effect of, on the yield components of poppies (Laughlin), 667
Heat production of 25 kg pigs, effect of confinement in a respiration chamber and changes in temperature and plane of nutrition on (Gray and McCracken), 123
Hen, *see* Poultry
Herbage from a perennial ryegrass sward receiving a wide range of nitrogen rates, effects of rates of potassium application on the production and quality of (Reid), 83
Hormone-like activity compounds, comparison of the juvenilizing effect of six juvenile, on *Culex pipiens* L. (Kelada *et al.*), 203
Hypophysectomy and pituitary stalk-section, effects of, on carcass composition of foetal lambs (Broad *et al.*), 225

Intestinal motility and digesta flow in sheep, a radiological investigation of the effects of cannulation on (Wenham and Wyburn), 539
Iron sesquioxide contents in selected Nigerian soils, profile distribution of (Udo), 191

Lablab purpureus cv. Rongai, feed intake and grazing behaviour of cattle grazing a crop of (Hendricksen and Minson), 547
Lactation, early, effects of body fatness at lambing and diet in lactation on body tissue loss, feed intake and milk yield of ewes in (Cowan *et al.*), 497
early, prediction of body composition in live ewes in, from live weight and estimates of gut contents and total body water (Cowan *et al.*), 515
Lambs, *see* Sheep
Leaf protein, protection of, of lucerne against degradation in the rumen by treatment with formaldehyde and glutaraldehyde (Mangan *et al.*), 603
Leafworm, cotton, *see* Cotton
Light absorption by row crops, effect of row orientation, date and latitude on (Mutsaers), 381
Lolium perenne, *see* Ryegrass
Lucerne, protection of leaf protein of, against degradation in the rumen by treatment with formaldehyde and glutaraldehyde (Mangan *et al.*), 603
Lupin, white, environmental effects on seed oil percentage and fatty acid composition in (Williams and McGibbon), 597
Lupinus albus, *see* Lupin

Maize and sorghum, intercropping with soya beans (Mohta and De), 117
Mosquito, Egyptian, comparison of the juvenilizing effect of six juvenile hormone-like activity compounds on (Kelada *et al.*), 203
Muscle, pig, developmental changes in the biochemical composition of foetal and neonatal, with special reference to DNA synthesis (Farmer *et al.*), 563

preparation, a perfused ruminant (Coward and Buttery), 7

Nematode, potato cyst-, effects of aldicarb and oxamyl in peaty loam soil on, and on resistant and susceptible potatoes (Whitehead *et al.*), 213
potato cyst-, control of, in a three-course rotation (Whitehead *et al.*), 293
Nitrogen fertilizer, comparison of the effects of, on the yield, nitrogen content and quality of 21 different vegetable and agricultural crops (Greenwood *et al.*), 471
fertilizers, interaction of drainage and the response of winter wheat to (Armstrong), 229
for young cattle receiving fibre-rich diets, comparison of sources of supplementary (Smith *et al.*), 687
Nucleic acids, effect of changes in the intestinal flow of, on allantoin excretion in the urine of sheep (Antoniewicz *et al.*), 395

Oat hulls as energy sources for yearling cattle, an assessment of (Smith *et al.*), 677
Offal components of sheep, growth rate effects on some (Murray and Slezacek), 241
Oil, seed, percentage and fatty acid composition in white lupin, environmental effects on (Williams and McGibbon), 597
seed, sesame, physiological analysis of the growth, development and yield of (Saha and Bhargava), 733
Oxamyl, effects of, and aldicarb in peaty loam soil on potato cyst-nematode and on resistant and susceptible potatoes (Whitehead *et al.*), 213

Papaver somniferem L., *see* Poppies
Passionfruit, yellow pollination of the: nectar, pollen and carpenter bees (Corbet and Willmer), 655
Pasture, effect of ewe body condition at lambing on the performance of ewes and their lambs at (Gibb and Treacher), 631
Pea, pigeon, compensatory growth and yield of, following pod removal at different stages of reproductive growth (Tayo), 487
pigeon–sorghum intercropping and the effects of plant population (Natarajan and Willey), 51, 59
seeds, significance of damage during inhibition to the field emergence of (Powell and Matthews), 35
Pepper-spot, resistance in white cabbage to necrosis caused by turnip and cauliflower mosaic viruses and (Walkey and Neely), 703
Phaseolus vulgaris L., *see* Bean
Phosphate fertilizer, comparison of the effects of, on the yield, phosphate content and quality of 22 different vegetable and agricultural crops (Greenwood *et al.*), 457
rock and superphosphate, relative efficiency of, for forage legumes and residual effects on succeeding wheat (Prasad and Singh), 199
Pig(s), carcass composition of male, castrated male and female pigs resulting from two levels of feeding (Davies *et al.*), 251
effect of confinement in a respiration chamber and changes in temperature and plane of nutrition on heat production of 25 kg (Gray and McCracken), 123
fat cell synthesis in, assessed after administration of tritiated thymidine *in vivo* (Kirtland and Gurr), 325
muscle, developmental changes in the biochemical composition of foetal and neonatal, with special reference to DNA synthesis (Farmer *et al.*), 563
urine collection system for male (Colebrook and Black), 17
variation in motor activity and in food and water intake over 24 h periods in (Ingram *et al.*), 371
Pigeon pea, see Pea
Pisum sativum L., *see* Pea
Pituitary stalk-section, effects of hypophysectomy and, on carcass composition of foetal lambs (Broad *et al.*), 225
Plant population density, sorghum–pigeonpea intercropping and the effects of (Natarajan and Willey), 51, 59
Planting, effect of time of, on four bean genotypes in Kenya (Fisher), 401
Pollination of the yellow passionfruit: nectar, pollen and carpenter bees (Corbet and Willmer), 655
Poppies, effect of time of harvest on the yield components of (Laughlin), 667
Potassium, effects of rates of potassium application on the production and quality of herbage from a perennial ryegrass sward (Reid), 83
fertilizer, comparison of the effects of, on the yield, potassium content and quality of 22 different vegetables and agricutural crops (Greenwood *et al.*), 441
Potato cyst-nematode, control of, in a three-course rotation (Whitehead *et al.*), 293
cyst-nematode, effects of aldicarb and oxamyl in peaty loam soil on, and on resistant and susceptible potatoes (Whitehead *et al.*), 213
Poultry, laying hens, performance of, on diets containing heat-treated beans, cotyledons and hulls (Olaboro *et al.*), 697

Radiography, use of, in studies of pod growth in oilseed rape (Pechan *et al.*), 25
Rape, oil-seed, pod growth in, use of radiography in studies of (Pechan *et al.*), 25
Reproduction in farmed red deer (Hamilton and Blaxter), 261; (Blaxter and Hamilton), 275
Rotation, three-course, control of potato cyst-nematode (Whitehead *et al.*), 293
Rumen ammonia metabolism in lactating dairy cows (Oldham *et al.*), 235
bacteria, comparison of the action of, on cell walls from *Eragrostis tef* (Morris and van Gylswyk), 313
protection of leaf protein of lucerne against degradation in, by treatment with formaldehyde and glutaraldehyde (Mangan *et al.*), 603
Ruminant muscle preparation, perfused (Coward and Buttery), 7
Ryegrass, perennial, effects of rates of potassium application on the production and quality of

herbage from, receiving a wide range of nitrogen rates (Reid), 83
perennial, production of root axes and leaf elongation in, in relation to dryness of the upper soil layer (Troughton), 533
seedlings, effect of temperature on cold hardening of (Fuller and Eagles), 77

Seed oil percentage and fatty acid composition in white lupin, environmental effects on (Williams and McGibbon), 597
oil, sesame, physiological analysis of the growth, development and yield of (Saha and Bhargava), 733
Semen characteristics of Marwari and Magra sheep, seasonal changes in (Mittal), 721
Sesame, oil-seed, physiological analysis of the growth, development and yield of (Saha and Bhargava), 733
Sheep, eating and rumination behaviour in, fed only grass diets in either fresh or dried form (Fujihara), 729
effect of body-weight changes during pregnancy and lactation on the performance of three breeds of (Mavrogenis *et al.*), 357
effect of changes in the intestinal flow of nucleic acids on allantoin excretion in the urine of (Antoniewicz *et al.*), 395
ewes, body composition in live, in early lactation from live weight and estimates of gut contents and total body water (Cowan *et al.*), 515
ewes, body tissue loss, feed intake and milk yield of, in early lactation, effects of body fatness at lambing and diet in lactation on (Cowan *et al.*), 497
ewes, effect of ewe body condition at lambing on the performance of, and their lambs at pasture (Gibb and Treacher), 631
ewes, performance of, fed *ad libitum* until weaning and performance of their lambs (Economides), 493
ewes, pre-lambing supplementation of gadic, in western Afghanistan (McArthur), 39
gestation duration of, seasonal and other changes in (Amir *et al.*), 47
growth pattern and its effect on feed utilization of (Murray and Slezacek), 349
growth rate effects on some offal components of (Murray and Slezacek), 241
intestinal motility and digesta flow in, a radiological investigation of the effects of cannulation on (Wenham and Wyburn), 539
lamb production, crossing subtropical Egyptian sheep with Hampshire to improve (Aboul-Naga and Afifi), 365
lamb production from subtropical Egyptian sheep, using Suffolk sheep for improving (Aboul-Naga *et al.*), 333
lambs, carcass fat in, some breed effects on the melting point and fatty acid composition of (L'Estrange and Hanrahan), 73
lambs, foetal, carcass composition of, effects of hypophysectomy and pituitary stalk-section (Broad *et al.*), 225
Marwari and Magra, seasonal changes in semen characteristics of (Mittal), 721
response to the use of Merino in improvement of coarse-wool Barki sheep (Guirgis), 339
stratification, covariance and weight gain in experiments with repeated observations (Roberts), 141
Sorghum and maize, intercropping with soya beans (Mohta and De), 117
pigeonpea intercropping and the effects of plant population density (Natarajan and Willey), 51, 59
Soya bean(s), intercropping maize and sorghum with (Mohta and De), 117
Soil(s) fertility, food crops and, in Nigeria (Ojeniyi and Agbede), 725
iron sesquioxide contents in selected Nigerian, profile distribution of (Udo), 191
Old Alluvium, response of wheat to zinc and its critical level in (Singh *et al.*), 175
peaty loam, effects of aldicarb and oxamyl in, on potato cyst-nematode and on resistant and susceptible potatoes (Whitehead *et al.*), 213
upper layer, production of root axes and leaf elongation in perennial ryegrass in relation to dryness (Troughton), 533
water modelling: moisture profiles with constant surface water content, towards more efficient (Towner), 417
Soya bean, loss of apical dominance at the vegetative stage of growth, response of two varieties to (Tayo), 409
Statistics, estimation of parameters by least squares from unbalanced experiments (Finney), 181
mixture diallel experiments with unequal proportions of genotypes (Gleeson and McGilchrist), 525
periodic regression in long-term agricultural experiments (Roberts), 233
stratification, covariance and weight gain in experiments with repeated observations (Roberts), 141
Straw, barley, as energy source for yearling cattle, an assessment of (Smith *et al.*), 677

Temperature, effect of, on cold hardening of *Lolium perenne* seedlings (Fuller and Eagles), 77
growth and development of bush tomatoes in relation to (Gray *et al.*), 285
Thymidine, tritiated, *in vivo*, fat cell synthesis in pigs after administration of (Kirtland and Gurr), 325
Tobacco, flue-cured, effects of some cultural practices on yield and quality of (Farah), 423
Tomatoes, bush, growth and development of, in relation to temperature (Gray *et al.*), 285

Urine collection system for male pigs (Colebrook and Black), 17
of sheep, effect of changes in the intestinal flow of nucleic acids on allantoin excretion in (Antoniewicz *et al.*), 395

Vicia faba L. var. minor, *see* Bean
Virus(es), bean common mosaic, genetics of resistance to strains of, in three cultivars of (Innes and Walkey), 619

turnip and cauliflower mosaic, and pepper-spot, resistance in white cabbage to necrosis caused by (Walkey and Neely), 703

Water-soil modelling: moisture profiles with constant surface water content, towards more efficient (Towner), 417

Wheat breeding, comparison of some small-scale tests for bread-making quality used in (Blackman and Gill), 29

relative efficiency of rock phosphate and superphosphate for forage legumes and residual effects on succeeding (Prasad and Singh), 199

response of, to zinc and its critical level in Old Alluvium soils (Singh *et al.*), 175

spring, detection of components of genetic variation and genotype × environment interaction in (Singh), 67

spring, patterns of yield production in two semi-dwarf and two conventional height European (Angus and Sage), 387

winter, analysis of ergots from, in northern Scotland (Osborne and Watson), 239

winter, interaction of drainage and the response of, to nitrogen fertilizers (Armstrong), 229

Wool, response to the use of Merino in improvement of coarse-wool Barki sheep (Guirgis), 339

Weaning, factors affecting the performance of ewes fed *ad libitum* until, and the performance of their lambs (Economides), 493

Yam, labour-saving system of production (Onwueme and Fadayomi), 641

Yield of the barley crop, effect of growing clover cultivars in association with barley cultivars (Stewart *et al.*), 733

components of poppies, effect of time of harvest on (Laughlin), 667

of flue-cured tobacco, effects of some cultural practices (Farah), 423

grass, measuring effects of N, P and K fertilizers on (Penny *et al.*), 575; (Penny and Widdowson), 583

milk, of ewes in early lactation, effects of body fatness at lambing and diet in lactation on (Cowan *et al.*), 497

of oil-seed sesame, physiological analysis of the growth, development and (Saha and Bhargava), 733

of pigeon pea following pod removal at different stages of reproductive growth (Tayo), 487

production in two semi-dwarf and two conventional height European spring wheats, patterns of (Angus and Sage), 387

of 21 different vegetable and agricultural crops, comparison of the effects of nitrogen fertilizer on (Greenwood *et al.*), 471

of 22 different vegetable and agricultural crops, comparison of the effects of phosphate fertilizer on (Greenwood *et al.*), 457

of 22 different vegetable and agricultural crops, comparison of the effects of potassium fertilizer on (Greenwood *et al.*), 441

Zinc, effect of supplementary, on growth rate of beef cattle (Price and Humphries), 135

response of wheat to, and its critical level in Old Alluvium soils (Singh *et al.*), 175

Journal of Reproduction & Fertility

Volume 60 (No. 2), November 1980

D. Whyman & R. W. Moore. Effects of PMSG and the prostaglandin F-2α analogue, cloprostenol, on superovulation, fertilization and egg transport in the ewe

N. C. Rawlings, L. Weir, B. Todd, J. Manns & J. H. Hyland. Some endocrine changes associated with the post-partum period of the suckling beef cow

D. C. Wathes. Protein synthesis by bovine chorion and uterine endometrium during the period of implantation

E. L. Sheldrick, A. P. Ricketts & A. P. F. Flint. Placental production of progesterone in ovariectomized goats treated with a synthetic progestagen to maintain pregnancy

D. M. Parry, D. L. Willcox & G. D. Thorburn. Ultrastructural and cytochemical study of the bovine corpus luteum

M. L. Kaker, M. N. Razdan & M. M. Galhotra. Serum LH concentrations in cyclic buffalo (*Bubalus bubalis*)

P. B. Gherardi & D. R. Lindsay. The effect of season on the ovulatory response of Merino ewes to serum from pregnant mares

C. M. Howles, G. M. Webster & N. B. Haynes. The effect of rearing under a long or short photoperiod on testis growth, plasma testosterone and prolactin concentrations, and the development of sexual behaviour in rams

M. T. Kane & C. R. Headon. The role of commercial bovine serum albumin preparations in the culture of one-cell rabbit embryos to blastocysts

Volume 61 (No. 1), January 1981

B. P. Fitzgerald, J. D. Evins & F. J. Cunningham. Effect of TRH on the secretion of prolactin in ewes at various stages of pregnancy and in non-pregnant ewes during the breeding season and seasonal anoestrus

B. P. Fitzgerald & F. J. Cunningham. Effect of removal of lambs or treatment with bromocriptine on plasma concentrations of prolactin and FSH during the post-partum period in ewes lambing at different times during the breeding season

L. Adam, E. Aizinbud, A. Tadmor & H. Schindler. Impedometric properties of the vulvar and vaginal tissues of ewes during the oestrous cycle

I. Wilmut & D. I. Sales. Effect of an asynchronous environment on embryonic development in sheep

L. Dusza & H. Krzymowska. Plasma prolactin levels in sows during pregnancy, parturition and early lactation

The *Journal of Reproduction and Fertility* is published every 2 months at £16.00 (U.S. $40.00) per issue and £85.00 (U.S. $195.00) per year by the

JOURNALS OF REPRODUCTION AND FERTILITY LTD

22 Newmarket Road, Cambridge CB5 8DT, U.K. (Editorial)

P.O. Box 32, Commerce Way, Colchester CO2 8HP, U.K. (Distribution)

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

PROF. SIR J. W. L. BEAMENT, SC.D., F.R.S., Department of Applied Biology, Cambridge

G. D. H. BELL, C.B.E., PH.D., SC.D.(*h.c.*), D.SC.(*h.c.*), F.R.S., 6 Worts Causeway, Cambridge

SIR K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S., Rowett Research Institute, Bucksburn, Aberdeen

G. W. COOKE, PH.D., F.R.I.C., F.R.S., Agricultural Research Council, 160 Great Portland Street, London, W1N 6DT

J. A. CURRIE, PH.D., Rothamsted Experimental Station, Harpenden

S. K. ELTRINGHAM, PH.D., Department of Applied Biology, Cambridge

PROF. SIR J. B. HUTCHINSON, C.M.G., SC.D., F.R.S., Emeritus Professor of Agriculture, Department of Applied Biology, Cambridge

D. B. LINDSAY, B.SC., M.A., D.PHIL., Agricultural Research Council, Institute of Animal Physiology, Babraham, Cambridge

PROF. J. B. OWEN, B.SC., PH.D., M.A., The Department of Agriculture, Bangor

W. J. RIDGMAN, M.A., Department of Applied Biology, Cambridge

H. H. ROGERS, B.SC., DIP.AG.SCI., F.I. BIOL., Plant Breeding Institute, Cambridge

L. E. A. ROWSON, O.B.E., M.R.C.V.S., F.R.S., Cambridge and District Cattle Breeders Limited, The Gravel Pits, Huntingdon Road, Cambridge

PROF. E. W. RUSSELL, C.M.G., PH.D., F.INST.P., Department of Soil Science, University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME 95

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY
1980

PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y.10022

© Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge

Contents

PART 1 (AUGUST 1980)

PAGE

DEGEN, A. A. and YOUNG, B. A. Live-weight, total body-water and maternal body-solid changes in pregnant and lactating beef cows 1

COWARD, B. JANE and BUTTERY, P. J. A perfused ruminant muscle preparation . . . 7

COLEBROOK, W. F. and BLACK, J. L. A note on a urine collection system for male pigs . 17

MACLEOD, G. D. and CLARK, J. A. An index of feather cover 21

PECHAN, P. M., BASHFORD, J. A. and MORGAN, D. G. The use of radiography in studies of pod growth in oil-seed rape (*Brassica napus* L.) 25

BLACKMAN, J. A. and GILL, A. A. A comparison of some small-scale tests for bread-making quality used in wheat breeding 29

POWELL, ALISON A. and MATTHEWS, S. The significance of damage during imbibition to the field emergence of pea (*Pisum sativum* L.) seeds 35

MCARTHUR, I. D. Pre-lambing supplementation of gadic ewes in western Afghanistan . 39

AMIR, D., GENIZI, A. and SCHINDLER, H. Seasonal and other changes in the gestation duration of sheep 47

NATARAJAN, M. and WILLEY, R. W. Sorghum–pigeonpea intercropping and the effects of plant population density. 1. Growth and yield 51

NATARAJAN, M. and WILLEY, R. W. Sorghum–pigeonpea intercropping and the effects of plant population density. 2. Resource use 59

SINGH, S. Detection of components of genetic variation and genotype × environment interaction in spring wheat 67

L'ESTRANGE, J. L. and HANRAHAN, J. P. Some breed effects on the melting point and fatty acid composition of carcass fat in lambs 73

FULLER, M. P. and EAGLES, C. F. The effect of temperature on cold hardening of *Lolium perenne* seedlings 77

REID, D. The effects of rates of potassium application on the production and quality of herbage from a perennial ryegrass sward receiving a wide range of nitrogen rates . 83

KIRBY, E. J. M. and ELLIS, R. P. A comparison of spring barley grown in England and in Scotland. 1. Shoot apex development 101

ELLIS, R. P. and KIRBY, E. J. M. A comparison of spring barley grown in England and in Scotland. 2. Yield and its components 111

MOHTA, N. K. and DE, R. Intercropping maize and sorghum with soya beans 117

GRAY, R. and MCCRACKEN, K. J. Effect of confinement in a respiration chamber and changes in temperature and plane of nutrition on heat production of 25 kg pigs . . . 123

PRICE, J. and HUMPHRIES, W. R. Investigation of the effect of supplementary zinc on growth rate of beef cattle on farms in N. Scotland 135

ROBERTS, E. A. Stratification, covariance and weight gain in experiments with repeated observations 141

TAPARIA, A. L. and SHARMA, V. V. Some factors affecting voluntary food intake in buffaloes. 1. Effect of feeding long-chopped and ground roughages 147

TAPARIA, A. L. and SHARMA, V. V. Some factors affecting voluntary food intake in buffaloes. 2. Effect of feeding mixed diets 159

PAGE

TAPARIA, A. L. and SHARMA, V. V. Some factors affecting voluntary food intake in buffaloes. 3. Effect of concentrate feeding on intake of roughages fed to lactating buffaloes . . . 165

SINGH, A. P., SAKAL, R., THAKUR, K. N. and SINHA, H. Response of wheat to zinc and its critical level in Old Alluvium soils 175

FINNEY, D. J. The estimation of parameters by least squares from unbalanced experiments 181

UDO, E. J. Profile distribution of iron sesquioxide contents in selected Nigerian soils . . 191

PRASAD, R. and SINGH, A. Relative efficiency of rock phosphate and superphosphate for forage legumes and residual effects on succeeding wheat 199

KELADA, N. L., GAABOUB, I. A. and RAWASH, I. A. A comparison of the juvenilizing effect of six juvenile hormone-like activity compounds on Egyptian *Culex pipiens* L. . . . 203

WHITEHEAD, A. G., TITE, D. J., FRASER, JANET E. and FRENCH, EILEEN M. Effects of aldicarb and oxamyl in peaty loam soil on potato cyst-nematode, *Globodera rostochiensis*, and on resistant and susceptible potatoes 213

BUVANENDRAN, V., UMOH, J. E. and ABUBAKAR, B. Y. An evaluation of body size as related to weight of three West African breeds of cattle in Nigeria 219

SHORT NOTES

BROAD, T. E., DAVIES, A. S. and LIGGINS, G. C. Carcass composition of foetal lambs: effects of hypophysectomy and pituitary stalk-section 225

ARMSTRONG, A. C. The interaction of drainage and the response of winter wheat to nitrogen fertilizers: some preliminary results 229

ROBERTS, E. A. Periodic regression in long-term agricultural experiments 233

OLDHAM, J. D., BRUCKENTAL, I. and NISSENBAUM, A. Observations on rumen ammonia metabolism in lactating dairy cows 235

OSBORNE, B. G. and WATSON, R. D. Analysis of ergots from winter wheat in northern Scotland 239

PART 2 (OCTOBER 1980)

MURRAY, D. M. and SLEZACEK, OLGA. Growth rate effects on some offal components of sheep 241

DAVIES, A. S., PEARSON, G. and CARR, J. R. The carcass composition of male, castrated male and female pigs resulting from two levels of feeding 251

HAMILTON, W. J. and BLAXTER, K. L. Reproduction in farmed red deer. 1. Hind and stag fertility 261

BLAXTER, K. L. and HAMILTON, W. J. Reproduction in farmed red deer. 2. Calf growth and mortality 275

GRAY, D., WARD, J. A. and STECKEL, JOYCE R. A. Growth and development of bush tomatoes in relation to temperature 285

WHITEHEAD, A. G., TITE, D. J., FRASER, JANET E. and FRENCH, EILEEN M. Control of potato cyst-nematode, *Globodera rostochiensis*, in a three-course rotation . . . 293

MORRIS, E. JANE. The cell walls of *Eragrostis tef*: variations in chemical composition and digestibility 305

MORRIS, E. JANE and VAN GYLSWYK, N. O. Comparison of the action of rumen bacteria on cell walls from *Eragrostis tef* 313

PAGE

KIRTLAND, JANET and GURR, M. I. Fat cell synthesis in pigs assessed after administration of tritiated thymidine *in vivo* 325

ABOUL-NAGA, A. M., GABR, M. G. and EL-SHOBOKSHY, A. S. Using Suffolk sheep for improving lamb production from subtropical Egyptian sheep. 3. Ewe lamb performance . 333

GUIRGIS, R. A. Response to the use of Merino in improvement of coarse-wool Barki sheep: an analysis of some cross-bred wool traits 339

MURRAY, D. M. and SLEZACEK, OLGA. Growth pattern and its effect on feed utilization of sheep 349

MAVROGENIS, A. P., HANCOCK, J. and LOUCA, A. The effect of body-weight changes during pregnancy and lactation on the performance of three breeds of sheep 357

ABOUL-NAGA, A. M. and AFIFI, E. A. Crossing subtropical Egyptian sheep with Hampshire to improve their lamb production 365

INGRAM, D. L., WALTERS, D. E. and LEGGE, K. F. Variations in motor activity and in food and water intake over 24 h periods in pigs 371

MUTSAERS, H. J. W. The effect of row orientation, date and latitude on light absorption by row crops 381

ANGUS, W. J. and SAGE, G. C. M. Patterns of yield production in two semi-dwarf and two conventional height European spring wheats 387

ANTONIEWICZ, ANNA M., HEINEMANN, W. W. and HANKS, E. M. The effect of changes in the intestinal flow of nucleic acids on allantoin excretion in the urine of sheep 395

FISHER, N. M. The effect of time of planting on four bean (*Phaseolus vulgaris*) genotypes in Kenya 401

TAYO, T. O. The response of two soya-bean varieties to the loss of apical dominance at the vegetative stage of growth 409

TOWNER, G. D. Towards more efficient soil-water modelling moisture profiles with constant surface water content 417

FARAH, S. M. Effects of some cultural practices on yield and quality of flue-cured tobacco at Kenana Research Station 423

KEMPSTER, A. J., COOK, G. L. and SMITH, R. J. The evaluation of a standardized commercial cutting technique for determining breed differences in carcass composition . . . 431

GREENWOOD, D. J., CLEAVER, T. J., TURNER, MARY K., HUNT, J., NIENDORF, K. B. and LOQUENS, S. M. H. Comparison of the effects of potassium fertilizer on the yield, potassium content and quality of 22 different vegetable and agricultural crops . . 441

GREENWOOD, D. J., CLEAVER, T. J., TURNER, MARY K., HUNT, J., NIENDORF, K. B. and LOQUENS, S. M. H. Comparison of the effects of phosphate fertilizer on the yield, phosphate content and quality of 22 different vegetable and agricultural crops . . 457

GREENWOOD, D. J., CLEAVER, T. J., TURNER, MARY K., HUNT, J., NIENDORF, K. B. and LOQUENS, S. M. H. Comparison of the effects of nitrogen fertilizer on the yield, nitrogen content and quality of 21 different vegetable and agricultural crops 471

TAYO, T. O. Compensatory growth and yield of pigeon pea (*Cajanus cajan*) following pod removal at different stages of reproductive growth 487

SHORT NOTE

ECONOMIDES, S. Factors affecting the performance of ewes fed *ad libitum* until weaning and the performance of their lambs 493

PART 3 (DECEMBER 1980)

PAGE

COWAN, R. T., ROBINSON, J. J., MCDONALD, I. and SMART, R. Effects of body fatness at lambing and diet in lactation on body tissue loss, feed intake and milk yield of ewes in early lactation 497

COWAN, R. T., ROBINSON, J. J., MCHATTIE, I. and FRASER, C. The prediction of body composition in live ewes in early lactation from live weight and estimates of gut contents and total body water 515

MOUSTAFA, OMAYMA K., EL ATTAL, Z. M. and ABDALLAH, M. D. Du-ter as a synergist for insecticide formulations against cotton leafworm 523

GLEESON, A. C. and MCGILCHRIST, C. A. Mixture diallel experiments with unequal proportions of genotypes 525

TROUGHTON, A. Production of root axes and leaf elongation in perennial ryegrass in relation to dryness of the upper soil layer 533

WENHAM, G. and WYBURN, R. S. A radiological investigation of the effects of cannulation on intestinal motility and digesta flow in sheep 539

HENDRICKSEN, R. and MINSON, D. J. The feed intake and grazing behaviour of cattle grazing a crop of *Lablab purpureus* cv. Rongai 547

SRISKANDARAJAH, N., ASHWOOD, A. and KELLAWAY, R. C. Effects of rolling and alkali treatment of barley grain supplements on forage intake and utilization by steers and lactating cows 555

FARMER, LINDA J., MACKIE, W. S. and RITCHIE, P. J. Developmental changes in the biochemical composition of foetal and neonatal pig muscle with special reference to DNA synthesis 563

PENNY, A., WIDDOWSON, F. V. and WILLIAMS, R. J. B. An experiment begun in 1958 measuring effects of N, P and K fertilizers on yield and N, P and K contents of grass. 1. Effects during 1964–7 575

PENNY, A. and WIDDOWSON, F. V. An experiment begun in 1958 measuring effects of N, P and K fertilizers on yield and N, P and K contents of grass. 2. Residual effects on arable crops, 1968–76 583

WILLIAMS, WATKIN and MCGIBBON, P. Environmental effects on seed oil percentage and fatty acid composition in white lupin (*Lupinus albus*) 597

MANGAN, J. L., JORDAN, D. J., WEST, JANET and WEBB, P. J. Protection of leaf protein of lucerne (*Medicago sativa* L.) against degradation in the rumen by treatment with formaldehyde and glutaraldehyde 603

INNES, N. L. and WALKEY, D. G. A. The genetics of resistance to two strains of bean common mosaic virus in three cultivars of *Phaseolus vulgaris* L. 619

GIBB, M. J. and TREACHER, T. T. The effect of ewe body condition at lambing on the performance of ewes and their lambs at pasture 631

ONWUEME, I. C. and FADAYOMI, O. A labour-saving system of yam (*Dioscorea* spp.) production through weed control with herbicides, the elimination of staking, and cropping at high density 641

CORBET, SARAH A. and WILLMER, P. G. Pollination of the yellow passionfruit: nectar pollen and carpenter bees 655

LAUGHLIN, J. C. The effect of time of harvest on the yield components of poppies (*Papaver somniferum* L.) 667

PAGE

SMITH, T., BROSTER, W. H. and SIVITER, J. W. An assessment of barley straw and oat hulls as energy sources for yearling cattle 677

SMITH, T., BROSTER, VALERIE J. and HILL, R. E. A comparison of sources of supplementary nitrogen for young cattle receiving fibre-rich diets 687

OLABORO, G., CAMPBELL, L. D. and MARQUARDT, R. R. Performance of laying hens fed on diets containing heat-treated beans (*Vicia faba* L. var. minor), cotyledons and hulls . 697

WALKEY, D. G. A. and NEELY, HEATHER A. Resistance in white cabbage to necrosis caused by turnip and cauliflower mosaic viruses and pepper-spot 703

STEWART, R. H., LYNCH, K. W. and WHITE, ETHEL M. The effect of growing clover cultivars in association with barley cultivars upon grain yield of the barley crop in the year of sowing and the subsequent year 715

SHORT NOTES

MITTAL, J. P. Seasonal changes in semen characteristics of Marwari and Magra sheep of the Indian desert 721

OJENIYI, S. O. and AGBEDE, O. O. Agri-silviculture in Nigeria: food crops and soil fertility . 725

FUJIHARA, T. The eating and rumination behaviour in sheep fed only grass diets in either the fresh or dried form 729

SAHA, S. N. and BHARGAVA, S. C. Physiological analysis of the growth, development and yield of oil-seed sesame 733